



CERTIFICATE OF ANALYSIS

DATE: 14DEC2018

HUMAN PLASMA (MALE)

Product Number: HUMANPLK21802918

Lot Number(s): BRH1608376 - BRH1608381
Expiration Date: 31DEC2020
Storage Conditions: -20°C OR COLDER
Anticoagulant: K2 EDTA

PROJECT DETAILS

Purchase Order:	Stock
Sales Order Number:	
Total Volume Shipped:	120 ML
Presentation:	6 INDIVIDUAL DONORS OF 20 ML (2 X 10 ML EACH) OF HUMAN PLASMA (MALE) RECOVERED FROM WHOLE BLOOD DONATIONS. THESE DONORS WERE SELECTED FROM INVENTORY.
Filtration:	None
Triglycerides:	>300 MG/DL

LOT#	HML#	GENDER	AGE	RACE	CHOLESTEROL	TRIGLYCERIDE
BRH1608376	HML2288	MALE	45	BLACK	178 mg/dL	421 mg/dL
BRH1608377	HML2302	MALE	58	CAUCASIAN	150 mg/dL	433 mg/dL
BRH1608378	HML2335	MALE	42	BLACK	234 mg/dL	302 mg/dL
BRH1608379	HML2337	MALE	39	BLACK	143 mg/dL	324 mg/dL
BRH1608380	HML2338	MALE	61	CAUCASIAN	171 mg/dL	593 mg/dL
BRH1608381	HML2400	MALE	54	HISPANIC	241 mg/dL	691 mg/dL

BIOHAZARD INFO: THIS MATERIAL SHOULD BE HANDLED AS IF CAPABLE OF TRANSMITTING INFECTIOUS AGENTS. PLEASE USE UNIVERSAL PRECAUTIONS. NO TEST METHOD CAN PROVIDE TOTAL ASSURANCE THAT HEPATITIS B VIRUS, HEPATITIS C VIRUS, HUMAN IMMUNODEFICIENCY VIRUS, OR OTHER INFECTIOUS AGENTS ARE ABSENT. THUS, ALL BIOLOGICAL PRODUCTS THAT WE PROVIDE SHOULD BE HANDLED AT THE BIO-SAFETY LEVEL 2 AS RECOMMENDED BY THE CDC/NIH MANUAL "BIOSAFETY IN MICROBIOLOGICAL AND BIOMEDICAL LABORATORIES, FROM POTENTIALLY INFECTIOUS HUMAN SERUM OR BLOOD SPECIMENS"

THIS PRODUCT IS BEING SOLD FOR RESEARCH AND/OR MANUFACTURING PURPOSES ONLY. THE BIOLOGICAL SAMPLES SUPPLIED BY BIOIVT, OR ANY MATERIAL ISOLATED FROM THE SAMPLES, ARE FOR IN-VITRO RESEARCH USE ONLY AND ARE NOT TO BE USED AS A SOURCE OF MATERIAL FOR CLINICAL THERAPIES. HUMAN MATERIAL MAY BE USED IN VIVO IN ANIMALS. THE USER ASSUMES ALL RESPONSIBILITY FOR ITS USAGE AND DISPOSAL, IN ACCORDANCE WITH ALL REGULATIONS.

THE MATERIAL LISTED ON THIS CERTIFICATE OF ANALYSIS HAS BEEN TESTED IN ACCORDANCE WITH FDA REGULATIONS AND FOUND TO BE NEGATIVE FOR HIV 1/2 AB AND HCV AB AND NON-REACTIVE FOR HBSAG, HIV-1 RNA, HCV RNA, HBV DNA AND STS.

BIOIVT WARRANTS THAT AT THE TIME OF SHIPMENT THE PRODUCT IS FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP AND CONFORMS TO SPECIFICATIONS WHICH ACCOMPANY THE PRODUCT. BIOIVT MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR PERFORMANCE.

*As of March 5th, 2018, "BioIVT" will replace the current brand of BioreclamationIVT and those of each of its affiliates and subsidiaries: IVT Holdings Inc., Asterand Bioscience, Inc., Asterand UK Acquisition limited, Asterand US Acquisition Corporation, Labquote.com LLC, ILSBio LLC, Seratrials LLC, Sera Laboratories International Ltd., Translational Cell Science LLC, Bioreclamation-IVT India Private Limited, In Vitro Inc., In Vitro GmbH, Qualyst Holdings LLC, Qualyst Transporter Solutions LLC

North America & Asia Pacific
☎ 516-483-1196
✉ customerservice@bioivt.com
PO Box 770, Hicksville NY 11802-0770, U.S.A.

Europe, Middle East & Africa

☎ 44 (0) 1444 250010
✉ cseurope@bioivt.com
West Sussex RH15 9TN, U.K.