

# **Certificate of Analysis**

### HUMAN PLASMA NAHEP GENDER POOLED

## **Product Information**

- Product #: HUMANPLNH-0000325
- Lot# / Sample ID#: HMN1197009

**Storage temperature:** -20°C OR COLDER

Lot(s) Release Date: 17NOV2023

### Quality Control

THE DONOR(S) USED IN THE MANUFACTURING OF THIS PRODUCT HAVE BEEN TESTED WITH FDA CBER LICENSED SCREENING TESTS (TITLE 21 - CFR PART 610.40) TO SHOW THE FOLLOWING:

HEPATITIS B SURFACE ANTIGEN NEGATIVE, HBV NAT NEGATIVE, HIV 1 & 2 ANTIBODY NEGATIVE, HIV NAT NEGATIVE, HCV ANTIBODY NEGATIVE, HCV NAT NEGATIVE, SYPHILIS NEGATIVE, WEST NILE VIRUS NAT NEGATIVE, DONOR HAS TESTED NEGATIVE BY A LICENSED TEST FOR ANTIBODIES TO T.CRUZI EITHER ON THE CURRENT DONATION OR AT LEAST ONE PREVIOUS DONATION.

#### Regulatory

APPROVED BY:

Wini Luty Sr Director, Biologic Operations

DATE: 17NOV2023

DOCUMENT # WES-FRM-001

BioIVT is committed to sourcing human and animal biological material in accordance with the highest ethical and regulatory standards.

 516-483-1196
customerservice@bioivt.com Hicksville, NY 11802-0770 Europe, Middle East 1 44 (0) 1444 250010 & Africa @ cseurope@bioivt.co

44 (0) 1444 250010
cseurope@bioivt.com
West Sussex RH15 9TN, U.K

www.bioivt.com



## **PRODUCT DATA SHEET**

SHIP DATE: 17NOV2023

## HUMAN PLASMA NAHEP GENDER POOLED Product Number: HUMANPLNH-0000325

Lot Number(s): **Expiration Date: Storage Conditions:** Anticoagulant:

HMN1197009 30NOV2028 -20°C OR COLDER NaHep

## **PROJECT DETAILS**

Purchase Order:	BJ20298
Sales Order Number:	\$10023019160
Total Volume Shipped:	200 ML
Presentation:	1 LOT OF 200 ML (40 X 5 ML) OF HUMAN PLASMA NAHEP GENDER POOLED RECOVERED FROM WHOLE BLOOD DONATIONS Pooled from 4 males and 4 females
Filtration:	None

BIOHAZARD INFO: THIS MATERIAL SHOULD BE HANDLED AS IF CAPABLE OF TRANSMITTING INFECTIOUS AGENTS. PLEASE USE UNIVERSAL PRECAUTIONS. NO TEST METHOD CAN PROVIDE TOTAL ASSURANCE THAT HEPATITIS B VIRUS, HEPATITIS C VIRUS, HUMAN IMMUNODEFICIENCY VIRUS, OR OTHER INFECTIOUS AGENTS ARE ABSENT. THUS, ALL BIOLOGICAL PRODUCTS THAT WE PROVIDE SHOULD BE HANDLED AT THE BIO-SAFETY LEVEL 2 AS RECOMMENDED BY THE CDC/NIH MANUAL "BIOSAFETY IN MICROBIOLOGICAL AND BIOMEDICAL LABORATORIES, FROM POTENTIALLY INFECTIOUS HUMAN SERUM OR BLOOD SPECIMENS"

THIS PRODUCT IS BEING SOLD FOR RESEARCH AND/OR MANUFACTURING PURPOSES ONLY. THE BIOLOGICAL SAMPLES SUPPLIED BY BIOIVT, OR ANY MATERIAL ISOLATED FROM THE SAMPLES, ARE FOR IN-VITRO RESEARCH USE ONLY AND ARE NOT TO BE USED AS A SOURCE OF MATERIAL FOR CLINICAL THERAPIES. HUMAN MATERIAL MAY BE USED IN VIVO IN ANIMALS. THE USER ASSUMES ALL RESPONSIBILITY FOR ITS USAGE AND DISPOSAL, IN ACCORDANCE WITH ALL REGULATIONS.

UNLESS OTHERWISE AGREED IN A DULY EXECUTED CONTRACT BETWEEN THE PARTIES, THIS DOCUMENT IS GOVERNED BY THE TERMS AND CONDITIONS LOCATED AT www.bioivt.com WHICH IS HEREBY INCORPORATED HEREIN.

FOR UPDATED EXPIRATION DATE INFORMATION, CLICK HERE

North America & 📮 516-483-1196 Asia Pacific

@ customerservice@bioivt.com Hicksville, NY 11802-0770

& Africa

Europe, Middle East 📋 44 (0) 1444 250010 e cseurope@bioivt.com West Sussex RH15 9TN, U.K

www.bioivt.com